

# Feature Prospect of the VAST Applications of Machine Learning

<sup>1</sup>M.V. Bhanu Prakash & <sup>2</sup>U. Sairam

<sup>1</sup>Assistant Professor, Department of CSE, RGUKT, NUZVID (India)

<sup>2</sup>Assistant Professor, Department of Information Technology CBIT, RR DIST (India)

## ARTICLE DETAILS

### Article History

Published Online: 15 April 2019

### Keywords

Machine learning, Artificial intelligence, Applications.

## ABSTRACT

Arising Artificial Intelligence (ML) strategies, such as Deep Semantic Network, are commonly made use of in today's applications and also solutions. Nonetheless, with a social understanding of personal privacy as well as individual information swiftly climbing, it ends up being a pushing as well as testing social problem to both maintain individual information exclusive as well as gain from the information analytics power of ML methods at the very same time. Whenever an internet online search engine like Google or Bing is made use of to browse the web, among the factors that functions so well is due to the fact that a learning algorithm, one executed by Google or Microsoft, has actually discovered just how to rate website. Whenever Facebook is utilized and also it identifies close friends' pictures, that's likewise artificial intelligence. Spam filters in e-mail conserve the individual from needing to learn lots of spam e-mail, that's additionally a learning algorithm. In this paper, a short testimonial, as well as future possibility of the large applications of artificial intelligence, has actually been made.

## 1. Introduction

An Expert System (AI) program is called Intelligent Representative. Intelligent representative reaches engage with the atmosphere. The representative can determine the state of an atmosphere via its sensing units and afterwards, it can influence the state with its actuators.




Figure 1: Perception cycle of AI

The vital facet of AI is the control plan of the representative which indicates just how the inputs gotten from the sensing units are converted to the actuators, simply put exactly how the sensing units are mapped to the actuators, this is implemented by a feature within the representative.

The supreme objective of AI is to create human-like intelligence in devices. Nevertheless, such a desire can be achieved via learning formulas which attempt to simulate just how the human mind discovers. Artificial intelligence, which is an area that had actually outgrown the area of expert system, is of utmost value as it allows the devices to get human-like intelligence without specific programs.

In the location of the artificial intelligence research study the focus is offered much more on picking or creating an algorithm as well as carrying out experiments on the basis of the algorithm. Such very prejudiced sight minimizes the effect or real-life applications.

In this paper, the numerous applications under a suitable group of artificial intelligence have actually been highlighted.

This paper makes an initiative to bring all the significant locations of applications under one umbrella as well as provide an extra basic as well as the reasonable sight of the real-life applications. Aside from this 2 application tips have actually existed onward. The area of artificial intelligence is so large and also ever before expanding that it shows to be beneficial in automating every element of life.

## 2. Machine learning

Learning describes alteration or renovation of algorithm based upon previous "experiences" instantly with no exterior aid from a human.

While making a machine (a software application system), the designer constantly has a particular objective in mind.

For example, think about J. K. Rowling's Harry Potter Collection as well as Robert Galbraith's Cormoran Strike Collection. To validate the case that it was undoubtedly Rowling that had actually composed those publications under the name Galbraith, 2 specialists were involved by The London Sunday Times as well as making use of Forensic Artificial intelligence they had the ability to verify that the case holds true. They create a machine learning algorithm as well as "educated" it with Rowling's along with various other authors composing instances to look for and also find out the underlying patterns and afterward "examination" guides by Galbraith. The algorithm ended that Rowling's as well as Galbraith's creating matched one of the most in numerous facets.

So as opposed to developing an algorithm to attend to the trouble straight, making use of Artificial intelligence, a scientist looking for a strategy whereby the machine, i.e., the algorithm will certainly create its very own remedy based upon the instance or training information establish offered to it at first.

Artificial Intelligence (ML) strategies have actually started to control information analytics applications as well as solutions. Referral systems are the driving pressure of online provider such as Amazon.com, Netflix as well as Spotify. Money analytics has actually rapidly embraced ML to harness a huge quantity of information in such locations as scams discovery, risk management, and also conformity. Deep Semantic Network (DNN) is the innovation behind voice-based individual help (Schuster 2010), self-driving vehicles (Bojarski et al. 2016), automated picture processing (Google 2017a), and so on. By releasing ML innovations to shadow computer frameworks, they are profiting numerous facets of our everyday life.

According to Arthur Samuel, Artificial intelligence is specified as the discipline that offers computer systems the capacity to find out without being clearly set. Arthur Samuel was renowned for his checkers-playing program.

At first, when he established the checkers-playing program, Arthur was far better than the program. Yet gradually the checkers-playing program discovered what were the great board placements as well as what misbehaved board settings are by playing numerous video games versus itself.

An even more official meaning was offered by Tom Mitchell as a computer system program is claimed to gain from experience (E) relative to some job (T) and also some efficiency step (P), if its efficiency on T, as determined by P, boosts with experience E after that the program is called a machine learning program.

In the checkers playing instance, the experience was the experience of having the program having fun video games versus itself. The job T was the job of playing checkers. As well as the efficiency procedure P was the possibility that it won the following video game of checkers versus some brand-new challenger.

In all areas of design, there are bigger as well as bigger information collections that are being recognized making use of learning formulas.

### 3. Review of Literature

#### **Social Awareness for Privacy**

Since Edward Snowden disclosed the secret big range government-level monitoring programs, socially consciousness of personal privacy and also individual information is promptly occurring. The Internet Patterns 2016 record (Meeker 2016) explains that, according to its study, 45% participants really feel even more stressed regarding their online personal privacy than one year back, and also 74% have actually restricted their on the internet task as a result of personal privacy worries.

Numerous on the internet provider, while accumulating huge- range information from individuals, might be susceptible to information violations. Individuals depend on the pledges from huge business to maintain their information personal and also secure (Google 2017b). Nevertheless, these assurances are not constantly foolproof. Yahoo, Tumblr, as well as Ashley Madsion (an online dating solution for wedded individuals) are just a little bit of the present constant business information

violation situations (Cheng, Liu, and also Yao 2017). Because of this, billions of individuals' exclusive info is threatened. All frequently, these leaks cause a collection of social as well as moral results. As a component of the initiative to limit this pattern, Rules such as EU's General Information Security Policy (European- Compensation 2016) are executed to "provide residents back manage over of their individual information, and also to streamline the regulatory setting for the company".

#### **Privacy-preserving Analytics on Cloud**

Numerous prominent information analytics are carried out on the cloud, therefore its information personal privacy problem has actually drawn in a great deal of research study interests. Making data sources personal and also safe is just one of the solutions. (Babuji et al. 2016) presents a cloud-based structure-a job that makes it possible for safe and secure administration as well as evaluation of big, and also possibly delicate, datasets. It declares to guarantee protected information storage space that can just be accessed by authorized individuals. (Joshi et al. 2016) has actually established an ontology to make sure that huge information analytics customers can compose information personal privacy plans using official plan languages and also construct automated systems for conformity recognition. (Cuzzocrea, Mastroianni, and also Grasso 2016) provides a brief testimonial of existing study initiatives along this line.

Concealing information alone is insufficient. The design itself can likewise disclose exclusive info. (Fredrikson, Jha, as well as Ristenpart 2015) has actually revealed that, with accessibility to the face acknowledgment ML version, the writers can make use of that to recuperate recognizable photos. (Abadi et al. 2016) creates a technique that can pre-air vent these sort of version inversion strikes versus a solid enemy that has a complete understanding of the training device and also accessibility to the version specifications. In A Similar Way, (Papernot et al. 2016) recommends a "teacher-student" strategy that is based upon the expertise gathering and also transfer strategy, so regarding conceal the versions educated on delicate information in a black box.

As opposed to concealing information or designs, some study recommends customer to select which component of information to submit. (Xu et al. 2017) recommends a device to permit individuals to cleanse their information before posting them to the procedure. It enables forecast of the wanted info while concealing personal information that the customer intends to maintenance personnel. RAPPOR (Erlingsson, Pihur, and also Korolova 2014) makes it possible for accumulating stats information from end-user in privacy-preserving crowdsourcing.

Nonetheless, every one of the abovementioned jobs concentrates on the traditional cloud side remedy. Customers' information is still accumulated to the main web server for handling, which is vulnerable to concerns such as enhanced solution feedback latency, interaction price, and also solitary factor failing.

#### **Data Analytics on Edge Devices**

Computer on the side and also mobile phones has actually acquired fast development. Lately, HUAWEI has actually

recognized rate as well as the responsiveness of indigenous AI handling on mobile phones as the trick to a brand-new age in mobile phone advancement (Huawei- Information 2017). Applications in this area are of the wonderful rate of interest to the academic community as well as sector. (Mortier et al. 2016) supplies a collection of software application parts that allow private information based on the handle, log as well as audit accessibility to their information by various other celebrations. (Frying pan et al. 2017) offers an atmosphere surveillance smart device application that permits individuals to takes photos of the exterior to acknowledge air high quality. Breach Detection System (IDS) is very important in safeguarding computer system internet- jobs. Making Use Of ML for IDS is specifically ideal in quitting assaults that do not have to understand trademarks. (Sankaran and also Calix 2016) develops details equipment for ML-based IDS jobs. It accomplishes high discovery precision and also reduced power usage.

An increasing number of innovative clever solutions are being pressed to border gadgets. Intel's Movidius Neural Compute Stick (Movidius 2017) is a small deep learning tool that a person can make use of to increase AI programs and also DNN presume- once application release at the side. Kvasir (Wang et al. 2016b) is a semantic suggestion system improved top of hidden semantic evaluation as well as various other cutting edge information analytics modern technologies. Especially, it perfectly incorporates a computerized as well as aggressive material arrangement solution right into an internet browser on customers' end.

Several obstacles develop when relocating ML analytics from cloud to border tools. One is that compared to source-abundant computer collections, side as well as smartphones just have rather minimal calculation power and also functioning memory. To suit hefty ML calculation on side tools, one remedy is to educate ideal tiny designs to do reasoning on mobile phones (Chun and also Maniatis 2009). This technique causes unacceptable precision and also customer experience.

Some strategies are just recently suggested to improve this technique. To minimize the memory and also disk use of speech acknowledgment application, (Bouquet et al. 2013) makes use of a pressed n-gram language design to do on-the-fly design rescoring. (Chen et al. 2015) offers HashNets, a network architecture that can lower the redundancy of semantic network models to lower design dimensions, while maintaining little influence on forecast precision. (Howard et al. 2017) from Google reduces design dimension by a various strategy: factorization of convolution procedure.

Among our previous research study job (Rodríguez et al. 2018) checks out the technique of training a customized version on neighborhood gadgets from a first common version. As opposed to relocating information from the customer to cloud, our approach offers version training as well as reasoning in a system where the calculation is transferred to the information. Particularly, we take a preliminary design picked up from a little collection of customers as well as re-train it in your area utilizing information from a solitary customer. It is verified to both be durable versus adversarial strikes and also can boost precision.

Besides releasing information analytics simply on cloud or side, placing calculation dynamically on both ends or somewhere in between is additionally a preferred pattern. In (Kang et al. 2017), the writers suggest segmenting a DNN right into 2 components, fifty percent on side tools and also the various other fifty percent on the cloud, and after that establish the Neurosurgeon system, targeting at lowering complete latency as well as power usage. Essential monitoring is that in a DNN, outcome dimension of each node lowers from front-end to back-end, while the modification of calculation latency is the contrary. (Wang et al. 2016a) acknowledges that plenty of network solutions stay in ISP networks rather than on the cloud to offer low-latency accessibility. It even more investigates calculation blockage control methods to effectively disperse solution lots within an area.

### **System Design and Implementation**

The keynote of Composable Providers is individuals must not need to create brand-new ML solutions every single time the brand-new application needs to develop. As a matter of fact, lots of solutions can be com- positioned from fundamental ML solutions: picture acknowledgment, speech-to-text, suggestion, and so on. One instance is that a solution to acknowledge several items from one photo can be com- postured from 2 solutions: photo division (which the same level an electronic photo right into numerous segments/regions) as well as picture acknowledgment on each section. The Zoo system targets at giving user-centric, ML-based solutions that make it possible for service drawing, making up, sharing, and also compatibility checking. The system design of Zoo is displayed in Number 1.

We specify that an ML solution contains 2 components: development as well as release. Growth is the layout of the interactivity process as well as the computational features of various ML solutions. We supply primitives to create intricate solutions from basic ones. For instance, among one of the most important primitives are a consecutive link, where the outcome of one solution is made use of an input of an additional solution. In Number 1, an individual initially makes the target solution on computer C (Action 1) in an arrangement data, as well as implements the makeup manuscript with Zoo. The square, hexagon, and so on below representative- frown at various existing ML solutions. They are gotten in touch with the consecutive link primitive in the brand-new structure style. The regional database is very first inspected to see if versions of these needed solutions are cached in your area. Otherwise, they will certainly be initially drawn from remote databases. In our lease application, all released versions are saved as well as air conditioning- cessed from Github Essence (stood for by Web server A), yet this method might be encompassed sustain drawing solutions from various other peer gadgets such as machine B in the number (Action 2 ). Release handle solution user interfaces as well as area definition. It is divided from the reasoning of solution building. Customers can relocate solutions from being neighborhood to remote as well as the other way around, without altering the framework of built solution. Implementation is not restricted to border tools (machine E), however, can additionally get on cloud web servers (web server D), or a crossbreed of both instances, to reduce the information disclosed to the cloud and also the associated interaction prices (Action 3 ). Hence by this style, an information analytics solution

can conveniently be dispersed to several devices. Lastly, customer can add freshly produced solutions to the version databases to make sure that it can be accessed by others ( Action 4 ).

The Zoo system is carried out on Owl (Wang 2017), an open-source mathematical computer system in OCaml language. The factor we select Owl to sustain the implementation of Zoo is a few of its wonderful attributes. Owl offers complete pile assistance for mathematical techniques, clinical computer, and also progressed information analytics on OCaml. Improved the core information framework of the matrix as well as the n-dimensional selection, Owl supports a thorough collection of traditional analytics such as mathematics features, stats, direct algebra, along with innovative analytics methods, specifically optimization, mathematical differentiation, as well as regression. In addition to them, Owl supplies Semantic network and also Natural Language Handling components. Zoo re- rests on these components to create fundamental versions. It has fixed kind monitoring, and also Owl's ML components have actually revealed terrific expressiveness and also code adaptability. Furthermore, Owl can utilize the parallel as well as the dispersed engine at a reduced degree to sustain dispersed

mathematical computer as well as information analytics. It supports various methods as well as several synchronization technologies (Wang, Catterall, and also Mortier 2017), which is a crucial foundation for cooperation in between network nodes, as well as therefore essential for scaling up information analytics in heterogeneous side networks.

**Deployment Example**

Next, we reveal an instance to make use of Zoo to release an image category solutions based upon InceptionV3 neural web- job design. The solution is released on a representative resource-constrained individual tool: a Raspberry Pi 3 Design B (RaspberryPi 2016).

InceptionV3 (Szegedy et al. 2015) is among Google's latest initiative to do photo acknowledgment. It is educated for the Ima- geNet Big Aesthetic Acknowledgment Obstacle (Russakovsky et al. 2015). This is a basic job in computer system vision, where versions attempt to categorize a photo right into 1000 courses, like "Zebra" or "Dishwashing machine". Compared to previous DNN designs, InceptionV3 has among one of the most complicated network architectures in computer system vision.




Figure 2: Zoo System Architecture

**4. LEARNING = REPRESENTATION + EVALUATION + OPTIMIZATION**

Expect you have an application that you assume artificial intelligence could be great for. The initial issue encountering you is the overwhelming range of learning formulas offered. Which one to utilize? There are essentially thousands readily available, and also hundreds even more are released yearly. The trick to not obtaining shed in this big room is to understand that it includes mixes of simply 3 parts. The parts are:

**Representation.** A classifier needs to be stood for in some official language that the computer system can take care of. This collection is called the theory area of the student. If a classifier is not in the theory room, it can not be found out. A relevant concern, which we will certainly deal with in a later area, is just how to stand for the input, i.e., what attributes to make use of.

**Evaluation.** An evaluation feature (likewise called unbiased feature or racking up feature) is required to

differentiate excellent classifiers from negative ones The evaluation feature made use of inside by the algorithm might vary from the outside one that we desire the classifier to maximize, for simplicity of optimization (see listed below) and also as a result of the concerns reviewed in the following area.

**Optimization.** Lastly, we require an approach to browse amongst the classifiers in the language for the highest-scoring one. The selection of optimization strategy is vital to the performance of the student, as well as additionally aids establish the classifier generated if the evaluation feature has greater than one optimum. It prevails for brand-new students to begin making use of off-the-shelf optimizers, which are later on changed by custom-made ones.

**5. Applications**

One clear indication of innovation in ML is its crucial real-life applications, several of which are quickly explained here. It is to be kept in mind that up until 1985 there was no signifiant

industrial applications of ML algorithms.

### **A. Speech recognition**

All existing speech recognition systems readily available in the marketplace usage machine learning methods to educate the system for far better precision. In practice, a lot of such systems carry out learning in 2 unique stages: pre-shipping audio speaker- independent training as well as post-shipping speaker-dependent training.

### **B. Computer vision.**

Bulk of current vision systems, e.g., face acknowledgment software programs, systems efficient in automated category tiny photos of cells, use machine learning techniques for far better precision. As an example, the United States Article Workplace utilizes a computer system vision system with a handwriting analyzer therefore educated to arrange letters with transcribed addresses instantly with a precision degree as high as 85%.

### **C. Bio-Surveillance**

Several government efforts to track potential breakouts of diseases use ML algorithms. Think about the POLE job in western Pennsylvania. This task accumulates admissions records to the emergency clinic in the health centers there, and also the ML software application system is educated utilizing the accounts of confessed patients in order to spot aberrant signs and symptoms, their patterns and also areal circulation. The study is continuing to incorporate some added information in the system, like over-the-counter medications' acquisition background to supply even more training data. The intricacy of this sort of facility, as well as vibrant information collections, can be taken care of effectively utilizing automated learning approaches just.

### **D. Robot Or Automation control**

ML approaches are greatly made use of in robotic as well as automated systems. For instance, think about making use of ML to get control techniques for the secure trip and also aerobatics of helicopter. The self-driving cars and trucks established by Google uses ML to educate from gathered surface information.

### **E. Empirical Science experiments**

A big team data-intensive scientific research techniques make use of ML techniques in numerous of it investigates. As an example, ML is being carried out in genes, to determine uncommon holy items in astronomy, as well as in Neuroscience as well as mental evaluation.

The various other little range yet the essential application of ML includes spam filtering system, scams discovery, subject recognition and also anticipating analytics (e.g., weather report, stock exchange forecast, market research and so on).

## **6. Future scope**

Artificial intelligence studies location that has actually brought in a lot of fantastic minds and also it has the perspective to disclose better.

However, the 3 essential future sub-problems are selected to be talked about below.

### **A. Explaining Human learning**

A pointed out previously, artificial intelligence concepts have actually been perceived fitting to comprehend features of learning in people as well as pets. Support learning algorithms approximate the dopaminergic neurons caused tasks in pets throughout reward-based learning with unusual precision. ML algorithms for revealing sporadic delineations of normally showing up pictures forecast aesthetic attributes found in pets' preliminary aesthetic cortex. However, the vital chauffeurs in human or animal learning like excitement, scary, necessity, appetite, instinctive activities and also learning by experimentation over countless time ranges, are not yet considered in ML algorithms. This a prospective chance to uncover a much more generalized principle of learning that entails both pets as well as machine.

### **B. Programming Languages Containing Machine Learning primitives**

In the majority of applications, ML algorithms are integrated with by hand-coded programs as a component of a software. The requirement of a brand-new programs language that is self-dependent to sustain by hand composed subroutines in addition to those defined as "to be found out." It can enable the programmer to define a collection of inputs-outputs of every "to be found out" program and opt for an algorithm from the team of standard learning methods already conveyed in the language. Configuring languages like Python (Sckit-learn), R and so on currently utilizing this principle in smaller sized extent. However, a remarkable brand-new concern is increased regarding developing a model to define relevant learning experience for each and every subroutine identified as "to be discovered", timing, and also security in instance of any unforeseen modification to the program's function..

### **C. Perception**

A generalized idea of computer system perception that can connect ML algorithms which are used in various kind of computer system assumption today consisting of yet not restricted to very innovative vision, speech acknowledgment and so on, is one more prospective research study location. One thought-provoking problem the assimilation of different senses (e.g., view, listen to, touch, etc) to prepare a system which use self-supervised learning to approximate one sensory knowledge using the others. Investigates in developing psychology have actually kept in mind extra efficient learning in humans when various input methods are provided, as well as researches on co-training techniques insinuate similar outcomes.

## **7. Conclusion**

In the past, equipment has actually been made use of to lower the manual work called to obtain a task done, yet presently, with the development of artificial intelligence human beings look for to develop devices which are not just solid however likewise intelligent as well as for this reason artificial intelligence has actually arisen to end up being a location of research study that is ever before in the flower. Artificial intelligence has actually not simply made the equipment self-governing, advancing the idea of an independent computer, yet

it has actually additionally decreased the continuous watchfulness individuals are called for to maintain upon the applications. The applications of artificial intelligence are as a

result never ever finishing as well as it still stays an energetic area of study with enormous growth alternatives as well as an encouraging future.

## References

1. Bauer and R. Kohavi. An empirical comparison of voting classification algorithms: Bagging, boosting and variants. *Machine Learning*, 36:105–142,1999.
2. Y. Bengio. Learning deep architectures for AI. *Foundations and Trends in Machine Learning*, 2:1–127,2009.
3. Y. Benjamini and Y. Hochberg. Controlling the false discovery rate: A practical and powerful approach to multiple testing. *Journal of the Royal Statistical Society, Series B*, 57:289–300,1995.
4. J. M. Bernardo and A. F. M. Smith. *Bayesian Theory*. Wiley, New York, NY,1994.
5. Blumer, A. Ehrenfeucht, D. Haussler, and M. K. Warmuth. Occam's razor. *Information Processing Letters*, 24:377–380,1987.
6. W. W. Cohen. Grammatically biased learning: Learning logic programs using an explicit antecedent description language. *Artificial Intelligence*, 68:303–366,1994.
7. P. Domingos. The role of Occam's razor in knowledge discovery. *Data Mining and Knowledge Discovery*, 3:409–425,1999.
8. T. Mitchell, W. Cohen, E. Hruschka, P. Talukdar, J. Betteridge, A. Carlson, B. Dalvi, M. Gardner, B. Kisiel, J. Krishnamurthy, N. Lao, K. Mazaitis, T. Mohamed, N. Nakashole, E. Platanios, A. Ritter, M. Samadi, B. Settles, R. Wang, D. Wijaya, A. Gupta, X. Chen, A. Saparov, M. Greaves, J. Welling, Never-Ending Learning, *Proceedings of the Twenty-Ninth AAAI Conference on Artificial Intelligence*, 2014
9. Pedregosa et al., Scikit-learn: Machine Learning in Python, *JMLR* 12, pp. 2825-2830, 2011.
10. Wang, J. and Jebara, T. and Chang, S.-F. Semi-supervised learning using greedy max-cut. *Journal of Machine Learning Research*, Volume 14(1), 771-800, 2013
11. Chapelle, O. and Sindhwani, V. and Keerthi, S. S. Optimization Techniques for Semi-Supervised Support Vector Machines, *Journal of Machine Learning Research*, Volume 9, 203–233, 2013
12. Yeshwanth Rao Bhandayker, "AN OVERVIEW OF THE INTEGRATION OF ALL DATA MINING AT CLOUD-COMPUTING" in "Airo International Research Journal", Volume XVI, June 2018 [ISSN : 2320-3714]
13. Siripuri Kiran, 'Decision Tree Analysis Tool with the Design Approach of Probability Density Function towards Uncertain Data Classification', *International Journal of Scientific Research in Science and Technology (IJSRST)*, Print ISSN : 2395-6011, Online ISSN : 2395-602X, Volume 4 Issue 2, pp.829-831, January-February 2018. URL : <http://ijsrst.com/IJSRST1841198>
14. Yeshwanth Rao Bhandayker, "Artificial Intelligence and Big Data for Computer Cyber Security Systems" in "Journal of Advances in Science and Technology", Vol. 12, Issue No. 24, November-2016 [ISSN : 2230-9659]
15. Sugandhi Maheshwaram, "A Comprehensive Review on the Implementation of Big Data Solutions" in "International Journal of Information Technology and Management", Vol. XI, Issue No. XVII, November-2016 [ISSN : 2249-4510]
16. Sugandhi Maheshwaram, "An Overview of Open Research Issues in Big Data Analytics" in "Journal of Advances in Science and Technology", Vol. 14, Issue No. 2, September-2017 [ISSN : 2230-9659]
17. Siripuri Kiran, Ajmera Rajesh, "A Study on Mining Top Utility Itemsets In A Single Phase" in "International Journal for Science and Advance Research in Technology (IJSART)", Volume-4, Issue-2, February-2018, 637-642, [ISSN(ONLINE): 2395-1052]
18. Yeshwanth Rao Bhandayker, "Security Mechanisms for Providing Security to the Network" in "International Journal of Information Technology and Management", Vol. 12, Issue No. 1, February-2017, [ISSN : 2249-4510]
19. Sugandhi Maheshwaram, S. Shoban Babu, "An Overview towards the Techniques of Data Mining" in "RESEARCH REVIEW International Journal of Multidisciplinary", Volume-04, Issue-02, February-2019 [ISSN : 2455-3085]
20. Yeshwanth Rao Bhandayker, "A Study on the Research Challenges and Trends of Cloud Computing" in "RESEARCH REVIEW International Journal of Multidisciplinary", Volume-04, Issue-02, February-2019 [ISSN : 2455-3085]
21. Sriramoju Ajay Babu, Dr. S. Shoban Babu, "Improving Quality of Content Based Image Retrieval with Graph Based Ranking" in "International Journal of Research and Applications", Volume 1, Issue 1, Jan-Mar 2014 [ISSN : 2349-0020]
22. Dr. Shoban Babu Sriramoju, Ramesh Gadde, "A Ranking Model Framework for Multiple Vertical Search Domains" in "International Journal of Research and Applications" Vol 1, Issue 1, Jan-Mar 2014 [ISSN : 2349-0020].
23. Mounika Reddy, Avula Deepak, Ekkati Kalyani Dharavath, Kranthi Gande, Shoban Sriramoju, "Risk-Aware Response Answer for Mitigating Painter Routing Attacks" in "International Journal of Information Technology and Management", Volume VI, Issue I, Feb 2014 [ISSN : 2249-4510]
24. Sugandhi Maheshwaram, "A Review on Deep Convolutional Neural Network and its Applications" in "International Journal of Advanced Research in Computer and Communication Engineering", Vol. 8, Issue No. 2, February-2019 [ISSN : 2278-1021], DOI 10.17148/IJARCC.2019.8230
25. Anusha Medavaka, P. Shireesha, "Review on Secure Routing Protocols in MANETs" in "International Journal of Information Technology and Management", Vol. VIII, Issue No. XII, May-2015 [ISSN : 2249-4510]
26. Anusha Medavaka, P. Shireesha, "Classification Techniques for Improving Efficiency and Effectiveness of Hierarchical Clustering for the Given Data Set" in "International Journal of Information Technology and Management", Vol. X, Issue No. XV, May-2016 [ISSN : 2249-4510]
27. Anusha Medavaka, P. Shireesha, "Optimal framework to Wireless Rechargeable Sensor Network based Joint Spatial of the Mobile Node" in "Journal of Advances in Science and Technology", Vol. XI, Issue No. XXII, May-2016 [ISSN : 2230-9659]
28. Anusha Medavaka, "Enhanced Classification Framework on Social Networks" in "Journal of Advances in Science and Technology", Vol. IX, Issue No. XIX, May-2015 [ISSN : 2230-9659]
29. Anusha Medavaka, P. Shireesha, "A Survey on Traffic Cop Android Application" in "Journal of Advances in Science and Technology", Vol. 14, Issue No. 2, September-2017 [ISSN : 2230-9659]

30. Yeshwanth Rao Bhandayker. "An Overview : Security Solutions for Cloud Environment." International Journal for Scientific Research and Development 7.2 (2019): 1596-1598.
31. Yeshwanth Rao Bhandayker. "AN OVERVIEW OF CYBER SECURITY", International Journal of Research, vol. 8, Issue. 3 (2019): 2236-6124.
32. Sugandhi Maheshwaram, "A STUDY ON THE CHALLENGES IN HANDLING
33. BIG DATA", International Journal of Research, vol. 8, Issue. 3 (2019): 2236-6124.
34. Yeshwanth Rao Bhandayker. "An Overview of Service Models and Cloud Computing Evolution in IT", International Journal of Research and Applications, vol. 5, Issue. 20, Oct - Dec 2018 Transactions 5(20): 1000-1004. [ISSN : 2349 – 0020 ]
35. Sugandhi Maheshwaram, . "A Novel Technique for Preventing the SQL Injection Vulnerabilities", International Journal of Research and Applications, vol. 5, Issue. 19, July - Sep 2018 Transactions 5(19): 901-909. [ISSN : 2349 – 0020 ]
36. Shoban Babu Sriramoju, "Substantial Overall Performance Pattern-matching Algorithm for
37. Network Stability", International Journal of Research and Applications, vol. 5, Issue. 17, Jan - Mar 2018 Transactions 5(17): 701-704. [ISSN : 2349 – 0020 ]
38. Anusha Medavaka, P. Shireesha, "Analysis and Usage of Spam Detection Method in Mail Filtering System" in "International Journal of Information Technology and Management", Vol. 12, Issue No. 1, February-2017 [ISSN : 2249-4510]
39. Anusha Medavaka, Dr.P.Niranjana, P. Shireesha, "USER SPECIFIC SEARCH HISTORIES AND ORGANIZING PROBLEMS" in "International Journal of Advanced Computer Technology (IJACT)", Vol. 3, Issue No. 6 [ISSN : 2319-7900]
40. Anusha Medavaka, "Monitoring and Controlling Local Area Network Using Android APP" in "International Journal of Research", Vol. 7, Issue No. IV, April-2018 [ISSN : 223